

Index

A

Absolute-gain measurements, 867–869

Active driving impedance, 424

Amateur band radio frequency spectrum, 928

Amplitude Modulation (AM) radio frequency spectrum, 928

Amplitude patterns

antenna measurements, 864

long wire antennas, 494–495

3-D, thin dipoles, 155

Analysis methods, for antennas, 23, 116–126

microstrip antennas, 726

vector analysis: *See* Vector analysis

Anechoic chambers, 843–844

Antenna impedance, 73–77, 424

Antenna measurements, 839–883

antenna ranges and, 840–858

compact ranges, 844–851

free-space ranges, 841–844

near-field/far-field methods, 852–858

reflection ranges, 841

current, 874–875

directivity, 871–872

gain, 865–871

absolute-gain, 867–869

gain-transfer (gain-comparison), 869–871

impedance, 873–874

polarization, 875–880

radiation efficiency, 872–873

radiation patterns, 858–865

amplitude pattern, 864

instrumentation and, 860–864

phase measurements, 864–865

scale models and, 880–881

Antenna mode scattering, 92–93

Antenna patterns: *See also* Radiation patterns

plotter for, 2-D, 113–114

Antenna ranges: *See* Antenna measurements

Antennas

analysis methods, 23, 726

aperture: *See* Aperture antennas

circular: *See* Loop antennas

defined, 1–2

as directional device, 3

elements for, 21–22

frequency independent: *See* Frequency independent antennas

future direction of, 23–24

gain and: *See* Gain

historical advancement of, 19–24

linear: *See* Linear wire antennas

loop: *See* Loop antennas

for mobile communications systems, 175

radiation efficiency of, 60–62, 78–79, 872–873

thin wire: *See* Thin wire antennas

as transitions device, 1–2

traveling wave: *See* Traveling wave antennas

types of, 3–7

Antenna synthesis, 339–378

continuous sources and, 340–342

apertures, 373–375

discretization of, 341–342

line source distributions, 340–341

cosine distributions, 368–371

cosine-squared distributions, 368–371

Fourier transform method, 346–352

line-source distribution, 347–349

N-element linear arrays, 349–352

line-source phase distributions, 371–373

- Antenna synthesis (*Continued*)
 Schelkunoff polynomial method, 342–346
 Taylor line-source, 358–368
 triangular distributions, 368–371
 Woodward-Lawson method, 352–358
 linear arrays and, 357–358
 line-source distribution, 353–356
- Aperture admittance, 631–638
- Aperture antennas, 4, 575–650
 Babinet's principle, 616–620
 circular, 603–611
 beam efficiency, 611
 design considerations, 614–616
 TE_{11} -mode distribution, 610–611
 uniform distribution, 605–610
 design considerations, 611–616
 directivity, 584
 field equivalence principle, 575–581
 Fourier transforms and, 620–638
 aperture admittance, 631–638
 asymptotic evaluation of radiated field, 625–630
 dielectric covered apertures, 630–631
 radiated fields, 622–630
 spectral domain, 621–622
 geometrical theory of diffraction, 638–643
 ground plane edge effects, 638–643
 Huygens' principle, 575–581
 radiation equations, 582–584
 rectangular, 584–603
 beam efficiency, 601–603
 design considerations, 613–614
 TE_{10} -mode distribution, 599–601
 uniform distribution, 586–599
- Aperture distribution method, 801–806
- Aperture efficiency, 599–601, 811–818
- Aperture fields
E-plane sectoral horns, 652–655
H-plane sectoral horns, 668–669
 pyramidal horns, 682–686
- Aperture-matched horns, 705–707
- Array antennas, 56, 249–329
- Array factor, 169, 250, 258–260
 circular arrays, 324–328
 Dolph-Tschebyscheff arrays, 294–296
 N-element arrays, 289–290
 planar arrays, 309–314
- Arrays, 249–338
 broadside, 316
 circular, 324–328
 and circular loop antennas, 229
 computer programs for, 337–338
 design considerations, 282–283, 321–324
 dipole, log-periodic antennas, 553–566
 and feed networks, microstrip antennas, 772–775
 infinite regular, 426–429
 mutual coupling in: *See* Mutual coupling in arrays
 N-element: *See* N-element arrays
 performance of, mutual coupling and, 425
 planar, 309–321
 array factor, 309–314
 beam width and, 314–318
 computer programs for, 338
 directivity, 318–321
 rectangular-to-polar graphical solution, 287–288
 superdirectivity, 306–309
 designs with constraints, 307–309
 efficiency and, 306–307
 two-element, 250–257
- Asymptotic evaluation of radiated field, aperture antennas, 625–630
- Attractive mechanisms, 736–737
- B**
- Babinet's principle, 616–620
- Back lobes, 32
- Backscattering radar cross section (RCS), 90
- Baluns and transformers, 480–483
- Bandwidth, 63–64, 449, 760–762
- Basis functions, 387, 396–400
- Bazooka balun, 480
- Beam efficiency, 63, 601–603, 611
- Beamwidths
 broadside arrays, 265
 circular aperture antennas, 607–609
 Dolph-Tschebyscheff arrays, 302–304
 half-power, 62
 N-element binomial arrays, 302–304
 ordinary end-fire arrays, 268
 planar arrays, 314–318
 rectangular aperture antennas, 589–592, 595–598, 599
- Bessel functions, 899–910
- Biconical antennas, 442–447
- Binomial arrays, N-element, 290–294
- Binomial matching transformers, 469–471
- Bistatic radar cross section (RCS), 90
- Bow-tie simulation, 447–449
- Broadband antennas, 505–534
 electric-magnetic dipoles, 512–513
 helical antennas, 505–512
 Yagi-Uda arrays, 513–534
- Broadband dipoles, 441–487

- biconical antennas, 442–447
- conical skirt monopoles, 462–464
- cylindrical dipoles, 449–457
 - bandwidth, 449
 - dielectric coating, 454–457
 - equivalent radii, 454
 - input impedance, 449–451
 - radiation patterns, 453
 - resonance and ground plane simulation, 451–453
- discone monopoles, 462–464
- folded dipoles, 458–462
- matching techniques: *See* Matching techniques
- sleeve dipoles, 464–466
- triangular sheet, bow-tie, and wire simulation, 447–449
- Broadside arrays, 316
 - computer programs for, 337–338
 - N-element linear, 262–264, 276–279
- C**
- Cassegrain parabolic reflectors: *See* Reflector antennas, parabolic
- Cavity model, 736–749
- Cellular telephone frequency spectrums, 928–929
- Circular aperture antennas: *See* Aperture antennas
- Circular aperture sources, 373–375
- Circular arrays, 324–328
- Circular loop antennas: *See* Loop antennas
- Circular patch microstrip antennas: *See* Microstrip antennas
- Circular polarization, 66–69, 767–772
- Clockwise polarization, 66
- Compact antenna test range (CATR), 844–851
- Composing function, 353
- Computer programs
 - arrays, 337–338, 573–574
 - 2-D antenna pattern plotters, 113–114
 - dipole arrays, 573–574
 - directivity, 57–58, 115
 - linear dipoles, 202
 - maximum directivity, 115
 - microstrip antennas, 784
 - Moment Method (MM), 438
 - mutual impedance, 439–440
 - pyramidal horns, 720–721
 - radiated power, 115
 - self-impedance, 439–440
 - Yagi-Uda array, 521–525
- Conductance, 731–732, 757–759
- Conduction-dielectric efficiency, 78–79
- Conical horns, 695–696
- Conical skirt monopoles, 462–464
- Conical spiral antennas, 549–550
- Conjugate matching, 1
- Continuous sources, 340–342, 373–375
- Co-polarization, 66
- Cordless cellular telephones, 928
- Corner reflector antennas, 786–793
- Corporate-feed network, 773
- Corrugated horns, 696–704
- Cosine distributions, 368–371
- Cosine integrals, 889–893
- Cosine-squared distributions, 368–371
- Counterclockwise polarization, 66
- Coupling
 - microstrip antennas, 764–767
 - mutual, in arrays: *See* Mutual coupling in arrays
- Cross field, 140
- Cross-polarization, 66, 806–807
- Cubic phase distributions, 371–373
- Current, measurement of, 874–875
- Current distribution
 - finite length dipoles, 151
 - front-fed parabolic reflectors, 807–811
 - linear wire antennas, 151, 156
 - thin wire antenna, 17–19
- Cylindrical coordinates, vector analysis and, 919
- Cylindrical dipoles: *See* Broadband dipoles
- Cylindrical-to-rectangular vector analysis, 914–917
- Cylindrical-to-spherical vector analysis, 917–918
- D**
- Density, radiation power, 35–37
- Design procedures
 - aperture antennas, 611–616
 - arrays, 282–283, 321–324
 - circular loop antennas, 229–230
 - circular patch microstrip antennas, 755–756
 - with constraints, 307–309
 - Dolph-Tschebyscheff arrays, 296–302, 305–306
 - N-element binomial arrays, 292–294, 296–306
 - pyramidal horns, 693–695
 - rectangular patch microstrip antennas, 730–731

- Design procedures (*Continued*)
 Taylor line-source (Tschebyscheff error), 360–362
- Dielectric coating, 454–457, 630–631
- Dielectric-loaded horns, 712
- Differentiation, vector identities and, 921
- Dipole arrays, 553–566
 computer programs for, 573–574
- Dipole radiation mechanism, 14–16
- Dipoles
 broadband: *See* Broadband dipoles
 electric-magnetic, 512–513
 folded, 458–462
 ground effects, 182–188
 half-wavelength, 42–44
 horizontal electric, 185–188
 infinitesimal: *See* Linear wire antennas
 near-field of, 405–408
 sleeve, 464–466
 small, 143–145
 thin, 154, 155
 vertical electric, 182–185
- Directional device, antennas as, 3
- Directional radiation patterns, 29, 45–49
- Directive gain, 39
- Directivity, 39–53: *See also* Radiation patterns
 aperture antennas, 584
 circular, 607–609
 computer programs for, 57–58, 115, 202, 248
directional radiation patterns and, 45–49
E-plane sectoral horns, 663–668
 front-fed parabolic reflectors, 811–818
 of half-wavelength dipoles, 42–44
H-plane sectoral horns, 676–682
 isotropic, 42–44
 linear dipoles, 202
 linear wire antennas, 142–143
 finite length dipoles, 157–159
 loop antennas, circular, 219–224, 248
 maximum, 39–41, 49, 84–86
 computer programs for, 202, 248
 numerical techniques for, 53–58
 measurement of, 871–872
 N-element arrays, 276–282, 302–304
 omnidirectional radiation patterns and, 49–53
 partial, 40
 patch microstrip antennas, circular, 757–759
 planar arrays, 318–321
 pyramidal horns, 686–693
 rectangular aperture antennas, 593–594, 598–601
 rectangular patch microstrip antennas, 749–752
 small circular loop antennas, 213–214
 superdirectivity, 306–309
- Discone monopoles, 462–464
- Dolph-Tschebyscheff arrays, 294–306
- Driving-point impedance, 412
- Duality theorem, 126–127
- Dual parabolic-cylinder reflector, 848–850
- E
- Earth curvature effects, 188–194, 230–233
- Effective area, maximum, 84–86
- Effective length, 79–81, 728–730
- Effective width, 728–730
- Efficiency
 antenna radiation, 60–62, 78–79
 microstrip antennas, 760–762
 polarization, 70–73
 superdirectivity, 306–307
- Electric and magnetic fields-TM_{mp}², 753–754
- Electric current sources, 117–119, 120–121
- Electric field integral equation (EFIE), 387
- Electric field lines, 12–15
- Electric fields, 120–121
- Electrostatic charge distribution, 381–387
- Element factor, 151–153
- Elements, used in antennas, 21–22
- Elevated ranges, 841–843
- Elliptical polarization, 66–69
- EMF method, induced: *See* Induced EMF method
- End-fire arrays
 Hansen-Woodyard, N-element linear, 271–276, 281–282
 ordinary, N-element linear, 264–266, 268, 279–280
- Entire domain functions, 399–400
- E*-plane radiation patterns, 17, 27, 29, 30
- E*-plane sectoral horns: *See* Horns
- Equiangular spiral antennas, 545–550
- Equivalent areas, 81–84
- Equivalent circuits, 214–217
- Equivalent current densities, 741–744, 756–757
- Equivalent magnetic ring current, 392
- Equivalent radii, cylindrical dipoles, 454
- Equivalents
 antennas, 73–77
 circular aperture antennas, 605–607

- pyramidal horns, 682–686
- rectangular aperture antennas*, 587, 595, 599
- Excitation coefficients, 290–292
- Expansion functions, 387
- Extrapolation method, 868
- F
- Far-field method, antenna ranges and, 852–858
- Far-field pattern, Yagi-Uda array, 520–521
- Far-field radiation, 125–126
- Far-field region, 33–34
 - linear wire antennas, 138, 141–142
 - region separation and, 145, 146–149
 - and small circular loop antennas, 213
- Feed design, 821–823
- Feeding methods, 724–726
- Feed networks, 772–775
- Ferrite loop antennas, 240–241
- Field configurations (modes)-TM^x, 738–741
- Field equivalence principle, aperture antennas, 575–581
- Field regions, in radiation patterns, 32–34
- Fields radiated
 - circular patch microstrip antennas, 756–757
 - TM₀₁₀ mode, 744–749
- Finite cones, 447
- Finite diameter wires, 388–395
 - Hallén's integral equation, 392
 - Pocklington's integral equation, 388–391
 - source modeling, 392–395
- Finite-Difference Time-Domain (FD-TD) method, 16–17, 23
- Finite feed gap, 161–162
- Finite length dipoles: *See* Linear wire antennas
- Finite straight wire, 381–385
- Folded dipoles, 458–462
- Formulas, linear wire antennas, 173–174
- Fourier transforms
 - antenna synthesis, 346–352
 - aperture antennas and: *See* Aperture antennas
- Fraunhofer region, 33–34
- Free-space ranges, 841–844
- Frequency independent antennas, 64, 542–574
 - conical spiral antennas, 549–550
 - equiangular spiral antennas, 545–550
 - limits of electrically small antennas*, 566–570
 - log-periodic antennas, 551–566
 - dipole arrays, 553–566
 - planar and wire surfaces, 551–553
 - planar spiral antennas, 545–549
 - theory, 543–544
- Frequency Modulation (FM) radio frequency spectrum, 928
- Fresnel integrals, 893–898
- Fresnel region, 32–33
- Friis transmission equation, 86–88
- Fringing effects, 727–728
- Front-fed parabolic reflector antennas: *See* Reflector antennas, parabolic
- G
- Gain, 58–60
 - measurements, 865–871
- Galerkin's method, 401–402
- Gamma match, 475–480
- Geometrical theory of diffraction, 638–643
- Grating lobes, 311–314, 429–434
- Gregorian reflectors, 828–830
- Ground effects
 - circular loop antennas, 230–233
 - linear wire antennas: *See* Linear wire antennas
- Ground plane and resonance simulation*, 451–453
- Ground plane edge effects, 638–643
- Ground-reflection method, 868–869
- H
- Half-power beamwidth, 62
- Half-wavelength dipoles, 42–44, 162–164
- Hallén's integral equation, 392
- Hansen-Woodyard end-fire arrays, 271–276, 281–282
- Helical antennas, 505–512
- Hertz, Heinrich Rudolph, 19
- Historical advancement, of antennas, 19–24
- Horizontal electric dipoles, 175–181, 185–188
- Horns, 651–721
 - aperture-matched, 705–707
 - conical, 695–696
 - corrugated, 696–704
 - dielectric-loaded, 712
 - E*-plane sectoral, 651–668
 - aperture fields, 652–655
 - directivity, 663–668
 - radiated fields, 655–663
 - H*-plane sectoral, 668–682
 - aperture fields, 668–669

Horns (*Continued*)

- directivity, 676–682
- radiated fields, 669–676
- monopulse, 711
- multimode, 707–712
- phase center, 712–714
- pyramidal, 682–695
 - aperture fields, 682–686
 - computer programs for, 720–721
 - design procedure, 693–695
 - directivity, 686–693
 - equivalents, 682–686
 - radiated fields, 682–686
- H*-plane radiation patterns, 29, 30
- H*-plane sectoral horns: *See* Horns
- Huygens' principle, 575–581
- Hyperbolic identities, 912

I

- Identities, 911–913
- Image theory, 164–165
- Impedance
 - active driving, 424
 - antenna, 424
 - bandwidth of, 63–64
 - driving-point, 412
 - input: *See* Input impedance
 - measurement of, 873–874
 - mutual: *See* Mutual impedance
 - passive driving, 424
 - self-impedance: *See* Self-impedance
- Incident electric field - $E'(r)$, 388–391
- Induced current density, 800–801
- Induced EMF method, 405–412, 416–422
- Infinite cones, 445–447
- Infinite line source radiation problem, 16–17
- Infinite regular arrays, 426–429
- Infinitesimal dipoles: *See also* Linear wire antennas
 - small circular loop antennas, 208
- Input impedance, 73–77
 - biconical antennas, 445–447
 - cylindrical dipoles, 449–451
 - long wire antennas, 495–496
 - microstrip antennas, 762–764
 - Yagi-Uda array, 528–529
- Input resistance, 159–161, 202
- Instrumentation, radiation patterns and, 860–864
- Integral equation method, 380–388: *See also* Moment Method (MM)
 - electrostatic charge distribution and, 381–387

- bent wire, 385–387
- finite straight wire, 381–385
- integral equation, 387–388
- mutual impedance, between linear elements, 414–416
- Pocklington's, 388–391
- self-impedance, 403–405
- Yagi-Uda array, 516–520
- Integration, vector identities and, 921
- Intensity, radiation, 38–39
- Intermediate-field region, 138, 140
- Intermediate loop approximation, 222
- Invisible region, 343–344
- Isotropic radiation patterns, 29, 42–44

L

- Land mobile cellular telephones, frequency spectrum, 928
- Large loop approximation, 221–222
- Lens antennas, 7, 9
- Linear arrays: *See* N-element arrays
- Linear dipoles, 202
- Linear elements
 - near or on infinite perfect conductors: *See* Linear wire antennas
 - Yagi-Uda array of, 513–532
- Linear phase distributions, 371–373
- Linear polarization, 66–69
- Linear wire antennas, 133–202
 - current distributions, 156
 - finite length dipoles, 151–162
 - current distribution, 151
 - directivity, 157–159
 - element factor, 151–153
 - finite feed gap, 161–162
 - input resistance and, 159–161
 - pattern multiplication, 151–153
 - power density, 153–157
 - radiated fields, 151–153
 - radiation intensity, 153–157
 - radiation resistance, 153–157
 - space factor, 151–153
 - ground effects, 181–194
 - earth curvature, 188–194
 - horizontal electric dipoles, 185–188
 - vertical electric dipoles, 182–185
- half-wavelength dipoles, 162–164
- infinitesimal dipoles, 133–143
 - directivity, 142–143
 - far-field region, 138, 141–142
 - intermediate-field region, 138, 140
 - near-field region, 138–140

- power density and radiation resistance, 136–138
 - radian distance and radian sphere, 138–139
 - radiated fields and, 133–136
 - linear elements near or on infinite perfect conductors, 164–181
 - antennas for mobile communications systems, 175
 - formulas, rapid calculation and design, 173–174
 - horizontal electric dipoles, 175–181
 - image theory, 164–165
 - vertical electrical dipoles, 165–173
 - region separation and, 145–151
 - far-field (Fraunhofer) region, 145, 146–149
 - radiating near-field region (Fresnel), 145, 149–150
 - reactive near-field region, 145, 150–151
 - small dipole, 143–145
 - Line-source distributions
 - antenna synthesis, Woodward-Lawson method, 353–356
 - continuous sources and, 340–341
 - Fourier transform method, 347–349
 - Line-source-Gaussian pulse radiation problem, 27
 - Line-source phase distributions, 371–373
 - Lobes, of radiation patterns, 31–32
 - Logarithmic identities, 913
 - Log-periodic antennas: *See* Frequency independent antennas
 - Long wire antennas, 490–498
 - Loop antennas, 203–248
 - circular
 - computer programs for, 248
 - with constant current, 217–224
 - directivity, 219–224
 - earth curvature effects, 230–233
 - ground effects, 230–233
 - with nonuniform current, 224–230
 - power density, 219–224
 - radiated fields, 217–219
 - radiation intensity, 219–224
 - radiation resistance, 219–224
 - ferrite, 240–241
 - ferrite loaded receiving loops, 241
 - radiation resistance, 240–241
 - mobile communications applications, 242
 - polygonal, 233–239
 - rectangular, 236–239
 - rhombic, 236–239
 - square loop, 233–236
 - triangular, 236–239
 - small circular, 204–217
 - directivity, 213–214
 - equivalent circuits for, 214–217
 - far-field region, 213
 - infinitesimal magnetic dipoles and, 208
 - near-field region, 212
 - power density and radiation resistance in, 208–212
 - radiated fields and, 204–208
 - radiation intensity, 213–214
 - Yagi-Uda array of, 533–534
 - Lorentz Reciprocity Theorem, 127–128
 - Loss factor, polarization (PLF), 69–73
- ## M
- Magnetic and electric current sources, 119–121
 - Magnetic and electric fields, $-TM'_{ump}$, 753–754
 - Magnetic field integral equation (MFIE), 387
 - Magnetic frill generator, 392–395
 - Major lobes, 32
 - Marconi, Guglielmo, 19–20
 - Matching techniques, 466–483
 - baluns and transformers, 480–483
 - binomial, 469–471
 - gamma match, 475–480
 - omega match, 480
 - quarter-wavelength transformers, 468–472
 - stub-matching, 466–468
 - T-match, 472–475
 - Tschebyscheff, 471–472
 - Yagi-Uda array, 528–529
 - MATLAB computer program, 16, 17
 - Maxima, long wire antennas, 494–495
 - Maximum directivity, 3941, 49, 84–86
 - computer programs for, 115, 202, 248
 - numerical techniques for, 53–58
 - Maximum effective area, 84–86
 - Maxwell, James Clerk, 19
 - Maxwell's Equations, 19
 - Method of stationary phase, 922–926
 - Microstrip antennas, 45, 722–784
 - analysis methods, 726
 - arrays and feed networks, 772–775
 - bandwidth, 760–762
 - circular patch, 752–760
 - conductance, 757–759
 - design, 755–756
 - directivity, 757–759

- Microstrip antennas (*Continued*)
- electric and magnetic fields-TM^z_{mmp}, 753–754
 - equivalent current densities, 756–757
 - fields radiated, 756–757
 - resonant frequencies, 754–755
 - resonant input resistance, 759–760
 - circular polarization, 767–772
 - computer programs for, 784
 - coupling, 764–767
 - efficiency, 760–762
 - feeding methods, 724–726
 - feed networks, arrays and, 772–775
 - input impedance, 762–764
 - quality factor, 760–762
 - rectangular patch, 727–752
 - cavity model, 736–749
 - conductance, 731–732
 - design procedure, 730–731
 - directivity, 749–752
 - effective length, 728–730
 - effective width, 728–730
 - equivalent current densities, 741–744
 - field configurations (modes)-TM^z, 738–741
 - fields radiated-TM^z₀₁₀ mode, 744–749
 - fringing effects, 727–728
 - resonant frequency, 728–730
 - resonant input resistance, 732–736
 - transmission line model, 727–736
- Miniaturization, 566–574
- Mini-Numerical Electromagnetics Code (MININEC), 415
- Minor lobes, 32
- Mobile communications systems, 175, 242, 928–929
- Modal expansion method, 855–856
- Moment Method (MM): *See also* Integral equation method
- computer programs for, 438
 - Galerkin's method, 401–402
 - solution for, 395–403
 - basis functions, 396–400
 - entire domain functions, 399–400
 - subdomain functions, 397–399
 - weighting (testing) functions, 400–403
- Monopoles, 462–464
- Monopulse horns, 710–711
- E-plane, 710
 - H-plane, 711
 - sum, 710
- Monostatic radar cross section (RCS), 90
- Multimode horns, 707–712
- Mutual coupling in arrays, 422–434
- array performance, 425
 - grating lobes considerations, 429–434
 - infinite regular arrays, 426–429
 - in receiving mode, 425
 - in transmitting mode, 423–425
- Mutual impedance
- computer programs for, 439–440
 - between linear elements, 412–422
 - induced EMF method, 416–422
 - integral equation-moment method, 414–416
 - Mini-Numerical Electromagnetics Code (MININEC), 415
 - Numerical Electromagnetics Code (NEC), 415
- N
- Near-field/far-field methods, 852–858
- Near-field of dipole, 405–408
- Near-field region
- linear wire antennas, 138–140
 - small circular loop antennas, 212
- N-element arrays
- linear
 - broadside arrays, 262–264, 276–279
 - computer programs for, 337
 - directivity, 276–282
 - Fourier transform method, 349–352
 - Hansen-Woodyard end-fire arrays, 271–276, 281–282
 - ordinary end-fire arrays, 264–266, 279–280
 - phased (scanning) arrays, 266–271
 - 3-D characteristics, 283–286
 - uniform amplitude and spacing, 257–276
 - broadside arrays, 262–264
 - ordinary end-fire arrays, 264–266
 - Woodward-Lawson method, 357–358
 - X- or Y-axis, 284–286
 - Z-axis, 283–284
 - uniform spacing, nonuniform amplitude, 288–306
 - array factor, 289–290
 - binomial arrays, 290–294
 - Dolph-Tschebyscheff arrays, 294–306
 - 90° corner reflector antennas, 789–790
- Nonradiating slots, rectangular patch antennas, 748–749
- Nulls, long wire antennas, 494–495
- Numerical Electromagnetics Code (NEC), 415

Numerical techniques: *See also* Computer programs
for radiation patterns, 53–58

O

Omega match, 480
Omnidirectional radiation patterns, 29, 30, 49–53
One-parameter Taylor line-source antenna synthesis, 362–368
Optimization, Yagi-Uda array, 525–528
Ordinary end-fire arrays, 264–266, 279–280

P

Parabolic reflector antennas: *See* Reflector antennas
Partial directivity, 40
Passive driving impedance, 424
Patch antennas: *See* Microstrip antennas
Pattern bandwidth, 63–64
Pattern multiplication, 151–153, 169
PEC square cylinder, 17, 27
Phase center horns, 712–714
Phase errors
 line sources, 371–373
 reflectors, 818–821
Phase measurements, 864–865
Piecewise constant function, 397–398
Piecewise linear function, 398
Piecewise sinusoid function, 399
Planar and wire surfaces, 551–553
Planar arrays: *See* Arrays
Planar spiral antennas, 545–549
Plane reflector antennas, 785–786
Pocklington's integral equation, 388–391
Poincaré sphere, 65–68, 878
Polarization, 64–73
 circular, microstrip antennas, 767–772
 long wire antennas, 496–497
 measurement of, 875–880
 Poincaré sphere, 65–68, 878
Polarization efficiency, 70–73
Polarization loss factor (PLF), 69–73
Polygonal loop antennas: *See* Loop antennas
Power density, 35–36
 circular loop antennas, 208–212, 219–224
 linear wire antennas, 136–138, 153–157
 radiation, 35–37
 and radiation resistance, 136–138, 208–212
Power patterns, 28, 353
Principal radiation patterns, 29–31
Pyramidal horns: *See* Horns

Q

Quadratic phase distributions, 371–373
Quality factor, 760–762
Quarter-wavelength transformers, 468–472
Quasistationary fields, 212

R

Radar cross section (RCS), 90–98, 91
RADAR IEEE band designations, 929
Radar range equation, 88–90
Radian, 34–35, 138–139
Radiated fields
 aperture antennas, 622–630
 biconical antennas, 442–445
 circular loop antennas, 204–208, 217–219
 E-plane sectoral horns, 655–663
 H-plane sectoral horns, 669–676
 linear wire antennas, 133–136
 finite length dipoles, 151–153
 pyramidal horns, 682–686
 rectangular aperture antennas, 587–589, 595, 599
Radiated power, 115
Radiated (transmitted) wave polarization, 64–65
Radiating near-field (Fresnel) region, 32–33, 145, 149–150
Radiating slots, rectangular patch microstrip antennas, 744–748
Radiation efficiency, 872–873
Radiation equations, 582–584
Radiation fields, 605–607
Radiation integrals and auxiliary potential functions, 116–132
 duality theorem, 126–127
 electric and magnetic fields, 120–121
 far-field radiation, 125–126
 reciprocity and reaction theorems, 127–132
 for radiation patterns, 130–132
 for two antennas, 129–130
 vector potentials, 116
 for electric current source, 117–119
 for magnetic current source, 119–120
 wave equation, 121–125
Radiation intensity, 38–39
 circular loop antennas, 219–224
 linear wire antennas, 153–157
 small circular loop antennas, 213–214
Radiation mechanism, 717
Radiation patterns, 28–35: *See also* Directivity
 antenna measurements and, 858–865

- Radiation patterns (*Continued*)
 cylindrical dipoles, 453
 directional, 29
 field regions, 32–34
 isotropic, 29
 lobes of, 31–32
 numerical techniques for, 53–58
 omnidirectional, 29
 principal, 29–31
 radian and steradian, 34–35
- Radiation power density, 35–37
- Radiation resistance, 1
 circular loop antennas, 219–224, 248
 computer programs for, 202, 248
 and ferrite loop antennas, 240–241
 linear wire antennas, finite length dipoles, 153–157
 power density and, 136–138, 208–212
- Radio frequency spectrums, 927–928
- Reactive near-field region, 32, 145, 150–151
- Received wave polarization, 64–65
- Receiving mode
 antenna equivalent, 76–77
 circular loop, 216–217
 coupling, 425
- Reciprocity and reaction theorems, 127–132
- Rectangular aperture antennas: *See* Aperture antennas
- Rectangular aperture sources, 373
- Rectangular coordinates, vector analysis and, 919
- Rectangular loop antennas, 236–239
- Rectangular patch microstrip antennas: *See* Microstrip antennas
- Rectangular-to-cylindrical vector analysis, 914–917
- Rectangular-to-polar graphical solution, 287–288
- Rectangular-to-spherical vector analysis, 918
- Reflection ranges, 841
- Reflector antennas, 6, 785–838
 corner, 786–793
 parabolic, 794–830
 Cassegrain, 823–830
 classical form, 826–828
 Gregorian form, 828–830
 front-fed, 797–823
 aperture distribution method, 801–806
 aperture efficiency, 811–818
 cross-polarization, 806–807
 current distribution method, 807–811
 directivity, 811–818
 feed design, 821–823
 induced current density, 800–801
 phase errors, 818–821
 surface geometry, 798–800
 plane, 785–786
 spherical, 830–833
- Region separation, 145–151
- Repulsive mechanism, for microstrip patches, 736–737
- Resonance and ground plane simulation, cylindrical dipoles, 451–453
- Resonant frequencies, 728–730, 754–755
- Resonant input resistance, 732–736, 759–760
- Resonant wires,
- Rhombic antennas, 236–239, 502–505
- Root-matching, for continuous source discretization, 341
- S
- Scale models, 880–881
- Scattered electric field - $E^s(\mathbf{r})$, 388–391
- Schelkunoff polynomial method, 342–346
- Self-impedance, 379, 403–412
 computer programs for, 439–440
 induced EMF method, 405–412
 integral equation-moment method, 403–405
- Series-feed network, 773
- Side lobe levels, 592–599, 607–609
- Sine function tables, 885–889
- Sine integrals, 889–893
- Single paraboloidal reflector, 848–850
- Single-plane collimating range (SPCR), 850–851
- Single wire radiation mechanism, 711
- Slant ranges, 843
- Sleeve dipoles, 464–466
- Small circular loop antennas: *See* Loop antennas
- Small dipoles, 143–145
- Small loop approximation, 222–223
- Source modeling, 392–395
 delta gap, 393
 magnetic frill generator, 393–394
- Space factor, 151–153
- Spectral domain, 621–622
- Spherical coordinates, 920
- Spherical reflectors, 830–833
- Spherical-to-cylindrical vector analysis, 917–918
- Spherical-to-rectangular vector analysis, 918
- Square loop antennas, 233–236

- Standing waves, 2
 Stationary phase, method of, 922–926
 Steradian, 34–35
 Structural scattering, 93
 Stub-matching, 466–468
 Subdomain functions, 397–399
 Superdirectivity, 306–309
 Supergain, 306
 Surface geometry, front-fed parabolic reflectors, 798–800
 Synthesis: *See* Antenna synthesis
- T**
 Taylor line-source, 321–322, 358–368
 Television frequency spectrums, 927–928
 TE₁₁-mode distribution, circular aperture, 610–611
 TE₁₀-mode distribution, rectangular aperture, 599–601
 Temperature, of antennas, 98–100
 Thin dipoles, 154
 Thin wire antennas
 on current distribution, 17–19
 linear: *See* Linear wire antennas
 Three-antenna method, gain measurements, 867–868
 Three-dimensional amplitude patterns, 155
 Three-dimensional characteristics, 283–286
 T-match, 472–475
 Total electric field - $E'(r)$, 388–391
 Transformers, baluns and, 480–483
 Transmission line model, rectangular microstrip antennas, 727–736
 Transmitting mode, 74–76, 215–216, 423–425
 Traveling wave antennas, 488–505
 long wire, 490–
 rhombic antennas, 502–505
 V antennas, –502
 Triangular distributions, 368–371
 Triangular loop antennas, 236–239
 Triangular sheet simulation, 447–449
 Trigonometric identities, 911–912
 Truncated cosine function, 399
 Tschebyscheff error, Taylor line-source, 321–322, 358–362
- Tschebyscheff matching transformers, 471–472
 Two-antenna method, gain measurements, 867
 Two-element arrays, 250–257
 Two wire radiation mechanism, 1114
- U**
 Ultra High Frequency (UHF) channels, 927–928
 Uniform distribution on an infinite ground plane, 586–594, 605–610
 Unipoles, 447
- V**
 V antennas, –502
 Vector analysis, 914–921
 Vector effective length, 79–81
 Vector potentials: *see also* Radiation integrals and auxiliary potential functions
 wave equations and, 121–125
 Vertical electric dipoles, 165–173, 182–185
 Very High Frequency (VHF) channels, 927–928
 Virtual feed, 826
 Visible region, 343–344
- W**
 Weighted residuals, 401
 Weighting (testing) functions, 400–403
 Wire antennas, 4
 linear: *See* Linear wire antennas
 thin wire: *See* Thin wire antennas
 Wireless communication antennas, 175, 242, 928–929
 Wire simulation, 447–449
 Woodward-Lawson method, 352–358
- Y**
 Yagi-Uda arrays
 computer programs for, 521–525, 541
 of linear elements, 513–532
 of loops, 533–534